

WEST 1/4 CORNER SECTION 08, TOWNSHIP 19 SOUTH, RANGE 12 EAST

- 1) ON PAGE 541 OF THE GLO ORIGINAL FIELD NOTES IN THE DRAFTING ROOM IN THE COUNTY ENGINEER'S OFFICE IT STATES THAT **THEY SET A POST** FOR THE QUARTER CORNER BETWEEN SECTIONS 7 AND 8, TOWNSHIP 19, RANGE 12 ON MARCH 12, 1857, FROM WHICH:

- 1) A BURR OAK TREE 45" IN DIAMETER BEARS NORTH 28° EAST AT 7 LINKS DISTANCE.
- 2) A HACKBERRY TREE 10" IN DIAMETER BEARS SOUTH 43°10' WEST AT 18 LINKS DISTANCE.

THE GOVERNMENT SURVEY NOTES SHOW THE FOLLOWING INFORMATION:

- 1) 40.00 CHAINS NORTH TO THE POST THAT THEY SET FOR THE CORNER TO SECTIONS 5, 6, 7 AND 8, TOWNSHIP 19, RANGE 12.
- 2) 40.00 CHAINS SOUTH TO THE 29" X 9" X 5" LIMESTONE THAT THEY SET FOR THE CORNER TO SECTIONS 7, 8, 17 AND 18, TOWNSHIP 19, RANGE 12.

- 2) G. M. WALKER, BRECKENRIDGE COUNTY SURVEYOR FROM 1857 TO 1860, IN SURVEY NUMBER 5, A **PERMANENT SURVEY** RECORDED IN SURVEY BOOK "A" ON PAGE 4 TO ESTABLISH AND MARK THE LINE FROM THE CENTER POST TO THE WEST QUARTER POST OF SECTION 8, TOWNSHIP 19, RANGE 12, THAT HE SURVEYED ON FEBRUARY 1, 1858.

HE SAID THAT **HE FOUND THE WEST QUARTER POST** OF SECTION 8, TOWNSHIP 19, RANGE 12 ON THIS **PERMANENT SURVEY**.

HE DID NOT DESCRIBE THE MONUMENT THAT HE FOUND AT THIS CORNER IN HIS FIELD NOTES ON THIS **PERMANENT SURVEY**, BUT THE GLO SURVEYORS HAD SET A **POST** FOR THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12.

NO *PLAT OF SURVEY* WAS RECORDED FOR THIS **PERMANENT SURVEY**.

HIS SURVEY NOTES SHOW THE FOLLOWING INFORMATION:

- 1) 39.95 CHAINS EAST TO THE STONE THAT HE FOUND AT THE CENTER POST OF SECTION 8, TOWNSHIP 19, RANGE 12.

- 3) G. M. WALKER, BRECKENRIDGE COUNTY SURVEYOR FROM 1857 TO 1860, IN SURVEY NUMBER 12 RECORDED IN SURVEY BOOK "A" ON PAGES 8 AND 9 FOR A **PERMANENT SURVEY** FOR DANIEL RICH AND DAVID MEDER TO PERMANENTLY ESTABLISH THE EAST AND WEST 1/4/4 POSTS, THE EAST AND WEST CENTER LINE, AND THE CENTER POST OF THE NORTHEAST 1/4 OF SECTION 7, TOWNSHIP 19, RANGE 12, THAT HE SURVEYED ON JUNE 17, 1858.

HE SAID THAT **HE FOUND THE POST** AT THE SOUTHEAST CORNER OF THE NORTHEAST 1/4 OF SECTION 7, TOWNSHIP 19, RANGE 12 ON THIS **PERMANENT SURVEY**.

HE DID NOT DESCRIBE THE MONUMENT THAT HE FOUND AT THE EAST QUARTER CORNER OF SECTION 7, TOWNSHIP 19, RANGE 12 IN HIS FIELD NOTES ON THIS **PERMANENT SURVEY**, BUT THE GLO SURVEYORS HAD SET A **POST** FOR THE EAST QUARTER CORNER OF SECTION 7, TOWNSHIP 19, RANGE 12.

HE NOTED THAT BOTH DANIEL RICH AND DAVID MEDER WERE PRESENT ON THIS SURVEY, AND THAT DAVID MEDER WAS THE ORIGINAL OWNER OF THE NORTHEAST 1/4 OF SECTION 7, TOWNSHIP 19, RANGE 12, AND DAVID RICH PURCHASED THE SOUTH HALF AND THE NORTHWEST 1/4 OF SAID QUARTER SECTION.

HIS SURVEY NOTES SHOW THE FOLLOWING INFORMATION:

- 1) 20.00 CHAINS NORTH TO THE STONE POST THAT HE SET FOR THE E1/4/4 OF THE NORTHEAST 1/4 OF SECTION 7, TOWNSHIP 19, RANGE 12. **HE MARKED THE FOLLOWING WITNESS TREES:** A HICKORY TREE 10 INCHES IN DIAMETER SOUTH 4-1/4° WEST AT 37 LINKS; A BUR OAK TREE 10 INCHES IN DIAMETER

SOUTH 47-1/2° EAST A 53-1/2 LINKS; AND A HICKORY TREE 12 INCHES IN DIAMETER NORTH 34° EAST AT 58 LINKS.

- 4) D. T. McAULEY, COUNTY SURVEYOR FROM 1867 TO 1870, IN SURVEY NUMBER 16 RECORDED IN SURVEY BOOK "A" ON PAGE 113 FOR THE SURVEY OF DAVID GOODRICH'S AND RICHARD RICH'S LAND, BEING THE NORTH HALF OF THE NORTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 8, TOWNSHIP 18, RANGE 12, THAT HE SURVEYED ON FEBRUARY 18, 1868.

HE SAID THAT **HE FOUND** THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12 ON THIS SURVEY. HE NOTED THAT HE FOUND THE WITNESS TREES BY THE GOVERNMENT SURVEYORS.

HE DID NOT DESCRIBE THE MONUMENT THAT HE FOUND AT THIS CORNER IN HIS FIELD NOTES ON THIS SURVEY, BUT THE GLO SURVEYORS HAD SET A **POST** FOR THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12.

HE NOTED "A PLAT WAS NOT WISHED BY THE ABOVE PARTIES" SO THERE IS NO *PLAT OF SURVEY* RECORDED FOR THIS SURVEY.

HIS FIELD NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) 318 RODS, 20 LINKS EAST TO THE FOUND EAST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12.
- 2) 40 RODS, 20 1/2 LINKS TO THE SOUTHWEST CORNER OF THE NORTH 1/2 OF THE NORTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 8, TOWNSHIP 19, RANGE 12 THAT HE ESTABLISHED. HE NOTED THE FOLLOWING WITNESS TREES: AN ELM TREE BEARS NORTH 7° EAST AT 29 LINKS, AND A WALNUT TREE BEARS EAST 23°00' NORTH AT A DISTANCE OF 8 LINKS.

- 5) D. T. McAULEY, COUNTY SURVEYOR FROM 1867 TO 1870, IN SURVEY NUMBER 17 RECORDED IN SURVEY BOOK "A" ON PAGE 114 FOR THE SURVEY OF RICHARD RICH'S LAND, BEING THE SOUTH 1/4 OF THE SOUTH 1/2 AND 30 ACRES OF THE NORTH 1/2 OF THE SOUTH 1/2 OF THE NORTHWEST 1/4 OF SECTION 8, TOWNSHIP 19, RANGE 12, THAT HE SURVEYED ON FEBRUARY 19, 1868.

HE SAID THAT **HE FOUND** THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12 ON THIS SURVEY.

HE DID NOT DESCRIBE THE MONUMENT THAT HE FOUND AT THIS CORNER IN HIS FIELD NOTES ON THIS SURVEY, BUT THE GLO SURVEYORS HAD SET A **POST** FOR THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12.

HE NOTED THAT NO *PLAT OF SURVEY* WAS RECORDED FOR THIS SURVEY.

HIS FIELD NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) 40 RODS, 2-1/2 LINKS NORTH VARIATION 11°00' EAST TO THE TEMPORARY POST THAT HE SET FOR A PROPERTY CORNER.

- 6) D. W. BOWMAN, DEPUTY COUNTY SURVEYOR FOR D. T. McAULEY, COUNTY SURVEYOR FROM 1867 TO 1870, IN SURVEY NUMBER 47 RECORDED IN SURVEY BOOK "A" ON PAGE 143 FOR THE SURVEY OF LAND OWNED BY HILLERMAN, SMITH, LOGAN AND OTHERS, BEING SECTION 7, TOWNSHIP 19, RANGE 12, THAT HE SURVEYED ON MAY 4 AND 5, 1868.

HE SAID THAT **HE FOUND** THE EAST QUARTER CORNER OF SECTION 7, TOWNSHIP 19, RANGE 12 ON THIS SURVEY.

HE DID NOT DESCRIBE THE MONUMENT THAT HE FOUND AT THIS CORNER IN HIS FIELD NOTES ON THIS SURVEY, BUT THE GLO SURVEYORS HAD SET A **POST** FOR THE EAST QUARTER CORNER OF SECTION 7, TOWNSHIP 19, RANGE 12.

HE NOTED THAT NO *PLAT OF SURVEY* WAS REQUIRED FOR THIS SURVEY.

HIS FIELD NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) 160 RODS SOUTH TO THE STAKE THAT HE SET FOR THE SOUTHEAST CORNER OF SECTION 7, TOWNSHIP 19, RANGE 12.

CONTINUED PAGE 3

- 7) ROBERT MILLIKEN, COUNTY SURVEYOR FROM 1870 TO 1875 AND FROM 1882 TO 1883, IN SURVEY NUMBER 1 OF THE 7TH TERM, A **PERMANENT SURVEY** RECORDED IN SURVEY BOOK "B" ON PAGE 148 TO FIND THE CORNERS TO THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4, AND 20 ACRES OFF THE SOUTH LINE OF THE NORTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SAID SECTION 8, TOWNSHIP 19, RANGE 12, THAT HE SURVEYED ON JANUARY 8, 1872.

HE SAID THAT **HE FOUND** THE QUARTER CORNER BETWEEN SECTIONS 7 AND 8, TOWNSHIP 19, RANGE 12 ON THIS **PERMANENT SURVEY**.

HE DID NOT DESCRIBE THE MONUMENT THAT HE FOUND AT THIS CORNER IN HIS FIELD NOTES ON THIS **PERMANENT SURVEY**, BUT THE GLO SURVEYORS HAD SET A **POST** FOR THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12.

THERE WAS NO *PLAT OF SURVEY* RECORDED FOR THIS **PERMANENT SURVEY**.

A NOTE IN THE LEFT MARGIN SAID TO "SEE 18".

THE FIELD NOTES SHOWS THE FOLLOWING INFORMATION:

- 1) 995.6' SOUTH TO THE STAKE THAT HE SET FOR THE PERMANENT CORNER OF THE 20 ACRE LOT.
- 2) 1,326-1/2' SOUTH TO THE 1/2/4 CORNER ON THE WEST SIDE OF THE SOUTHWEST 1/4 OF SECTION 8, TOWNSHIP 19, RANGE 12 THAT HE SET.
- 3) 2,653' SOUTH TO THE FOUND CORNER OF SECTIONS 7, 8, 17 AND 18, TOWNSHIP 19, RANGE 12.

- 8) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY FOR ROAD NUMBER 344 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 326 TO 328 [PACKET 598 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] PETITIONED BY D. M. MAY FOR THE VACATION AND RELOCATION OF A ROAD IN SECTION 8, TOWNSHIP 19, RANGE 12 THAT HE SURVEYED ON SEPTEMBER 15, 1886.

HE SHOWS ON HIS *PLAT OF SURVEY* ON PAGE 327 THAT **HE FOUND THE EXISTING STONE** AT THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12.

HE DID NOT DESCRIBE THE **STONE** THAT HE FOUND AT THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12 IN HIS FIELD NOTES ON THIS ROAD SURVEY.

THIS **STONE** WAS **NOT** PART OF THE ROAD BUT WAS SHOWN ON HIS *PLAT OF SURVEY*.

THE ROAD WAS PETITIONED TO BEGIN AT THE **ROAD STONE** ON THE NORTH SIDE OF THE NEOSHO RIVER IN THE SOUTHWEST 1/4 OF SECTION 8, TOWNSHIP 19, RANGE 12.

HE DID NOT DESCRIBE IN HIS FIELD NOTES ANY OF THE ROAD STONES THAT HE SET ON THIS ROAD SURVEY.

HIS FIELD NOTES AND *PLAT OF SURVEY* SHOW THE FOLLOWING INFORMATION:

- 1) BEGINNING AT THE **STONE** REFERRED TO IN THE PETITION, I RAN NORTH 60° WEST 14 FEET; THENCE NORTH 10° WEST 988 FEET TO A POINT 20 FEET SOUTH OF AN EAST AND WEST HEDGE WHERE I TURNED AN ANGLE OF 89°35' AND RAN NORTH 79°35' EAST ALONG THE 1/4 SECTION LINE 456 FEET; THENCE ANGLE 92°30' AND RAN NORTH 12°55' WEST 1,312 FEET TO INTERSECT AN EAST AND WEST ROAD AT THE TERMINUS OF THIS ROAD SURVEY.
- 2) **SET STONES** AT EACH ANGLE AND THE TERMINATION OF THE ROAD.
- 3) THE VIEWERS REPORTED IN FAVOR OF ALLOWING SAID ROAD AS IT IS A SHORTER ROUTE AND GOOD GROUND FOR A ROAD BUT WERE **NOT** IN FAVOR OF VACATING SAID ROAD ON ACCOUNT OF THE DAMAGES CLAIMED.
- 4) THE VIEWERS DETERMINED THAT IF SAID ROAD BE LOCATED THAT ITS WIDTH SHALL BE FORTY (40) FEET.

CONTINUED PAGE 4

- 9) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY RECORDED IN SURVEY BOOK "E" ON PAGE 155 FOR THE **VACATION** OF A ROAD IN TOWNSHIP 19, RANGE 12 FOR D. M. MAY, PRINCIPAL PETITIONER, THAT HE SURVEYED ON DECEMBER 2, 1886.

HE SHOWS ON HIS *PLAT OF SURVEY* THAT **HE FOUND THE EXISTING STONE** AT THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12 ON THIS ROAD SURVEY.

HE DID NOT DESCRIBE THE **STONE** THAT HE FOUND AT THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12 IN HIS FIELD NOTES ON THIS ROAD SURVEY.

HIS FIELD NOTES AND *PLAT OF SURVEY* SHOW THE FOLLOWING INFORMATION:

- 1) OF A COUNTY ROAD IN SECTION 8, TOWNSHIP 19, RANGE 12, BEGINNING AT A POINT OR **ROAD STONE** ON THE NORTH SIDE OF THE NEOSHO RIVER; THENCE NORTH 69°10' WEST TO THE WEST LINE OF SECTION 8; THENCE NORTH ON THE SECTION LINE TO THE NORTHWEST CORNER OF THE SOUTHWEST 1/4 OF THE NORTHEAST 1/4 OF SAME SECTION 8; THENCE EAST TO A NEW **ROAD STONE** AT THE NORTH END OF A ROAD SURVEYED SEPTEMBER 15, 1886.
- 2) **NOTE:** THIS IS FOR THE ROAD **VACATED** IN ROAD RECORD BOOK 2 ON PAGES 330 TO 332. WARREN CHIP WOODS, L.S. 603, LYON COUNTY SURVEYOR.

- 10) R. H. EDMISTON, COUNTY SURVEYOR FROM 1884 TO 1887, IN A ROAD SURVEY FOR ROAD NUMBER 345 RECORDED IN ROAD RECORD BOOK "C" ON PAGES 330 TO 332 [PACKET 600 IN THE VAULT IN THE COUNTY SURVEYOR'S OFFICE] PETITIONED BY D. M. MAY FOR THE **VACATION** OF A ROAD IN SECTION 8, TOWNSHIP 19, RANGE 12 THAT HE SURVEYED ON DECEMBER 2, 1886.

HE SHOWS ON HIS *PLAT OF SURVEY* THAT **HE FOUND THE EXISTING STONE** AT THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12 ON THIS ROAD **VACATION** SURVEY.

HE DID NOT DESCRIBE THE **STONE** THAT HE FOUND AT THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12 IN HIS FIELD NOTES ON THIS ROAD SURVEY.

A NOTE ON THE PACKET COVER SAID: **SEE COMMISSIONER'S VOLUME 4 ON PAGE 412.**

HIS FIELD NOTES AND *PLAT OF SURVEY* SHOW THE FOLLOWING INFORMATION:

- 1) BEGINNING AT THE **ROAD STONE** ON THE NORTH SIDE OF THE NEOSHO RIVER; THENCE NORTH 69°10' WEST TO THE SECTION LINE ON THE WEST SIDE OF SECTION 8 [TOWNSHIP 19, RANGE 12]; THENCE NORTH ON THE SECTION LINE TO THE NORTHWEST CORNER OF THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 8; THENCE EAST ON THE NORTH LINE OF THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 TO A ROAD STONE AT THE NORTH END OF A PROPOSED ROAD SURVEYED SEPTEMBER 15TH, 1856 AT THE TERMINUS OF THE ROAD TO BE **VACATED**.
- 2) THE VIEWERS REPORTED IN FAVOR OF **VACATING** SAID ROAD AND ESTABLISHING THE NEW AS THE OLD ROAD IS WASHED OUT WHERE IT RUNS ALONG THE NEOSHO RIVER AND IS NOT SAFE WITHOUT A CHANGE, AND THE NEW LINE IS A SHORTER ROUTE, BETTER AND CHEAPER.
- 3) THE FINAL ORDER OF THE BOARD OF COUNTY COMMISSIONERS RECORDED ON PAGE 332 **VACATED IN PART:** SAID ROAD IS **VACATED** AS FOLLOWS: FROM THE PLACE OF BEGINNING TO WHEN THE ROAD LEAVES THE NEOSHO RIVER RUNNING EAST, LEAVING ABOUT 30 RODS **NOT** VACATED.
- 4) THE FINAL ORDER WAS SIGNED BY T. E. McMILLAN, CHAIRMAN OF THE BOARD OF COUNTY COMMISSIONERS.
- 5) THE ROAD WAS RECORDED ON MARCH 12, 1887, BY ROLAND LAKIN, COUNTY CLERK.

CONTINUED PAGE 5

- 11) AI CHAMNESS, DEPUTY COUNTY SURVEYOR FROM 1906 TO 1946, DEPUTIZED BY O. D. HENRY, COUNTY ENGINEER OF LYON COUNTY, KANSAS FROM 1929 TO 1944, FOR A **PERMANENT SURVEY** OF FOUR TRACTS IN THE SOUTHWEST 1/4 OF SECTION 8, TOWNSHIP 19 SOUTH OF RANGE 12 EAST RECORDED IN PERMANENT SURVEY BOOK 1 ON PAGE 105.
- HE BEGAN THIS **PERMANENT SURVEY** ON MARCH 20, 1935, WITH THE **PERMANENT SURVEY** COMPLETED AND FILED ON APRIL 13, 1935.
- HE SAID THAT **HE FOUND THE EXISTING STONE IN PLACE** AT THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12 ON THIS **PERMANENT SURVEY**.
- HE DID NOT DESCRIBE THE **STONE IN PLACE** THAT HE FOUND AT THIS CORNER IN HIS FIELD NOTES ON THIS **PERMANENT SURVEY**.
- THERE ARE NO REFERENCE TIES TO THIS **STONE** RECORDED ON THIS PERMANENT SURVEY.
- A NOTE IN THE UPPER LEFT CORNER STATES: PLAINTIFFS EXHIBIT NUMBER 1, CASE NUMBER 19824, 5-13-38.
- HIS FIELD NOTES SHOW THE FOLLOWING INFORMATION:
- 1) 1,320' EAST TO THE STONE THAT HE FOUND AT THE NORTH 1/16TH CORNER OF THE SOUTHWEST 1/4 OF SECTION 8, TOWNSHIP 19, RANGE 12.
 - 2) 2,628' EAST TO THE "SOUTH END OF A FENCE COMPOSED OF WIRE WHERE TREES ARE GROWING AND AN OSAGE HEDGE TREE GROWING AT THE SOUTH END OF FENCE, WHERE ACCORDING TO VERBAL EVIDENCE, THE CENTER OF THE SECTION IS (THE LOCATION OF THE CORNERSTONE WHEN IN PLACE) AND AT THE WEST END OF HAS BEEN STONE FENCE, BUT I FOUND NO CORNERSTONE THAT IDENTIFIED ITSELF AS SUCH".
- 12) THE KRETSINGER REFERENCE TIE BOOK FOR TOWNSHIP 19, RANGE 12 SHOWS A **STONE** AT THE WEST QUARTER CORNER SECTION 8, TOWNSHIP 19, RANGE 12.
- THERE IS NO DESCRIPTION OF THE **STONE** THAT THEY FOUND AT THIS CORNER RECORDED ON THIS ENTRY.
- THERE IS NO DATE RECORDED ON THIS ENTRY.
- 1) STONE IN A FENCE LINE
 - 2) 9' WEST TO A 30" DIAMETER HACKBERRY TREE
 - 3) 5.5' SOUTH OF EAST TO AN 18" ELM TREE
 - 4) 29' NORTHEAST TO A HEDGE STUMP
- 13) STEVEN S. BROSEMER, L.S. 752, DEPUTY COUNTY SURVEYOR, IN A LAND SURVEY REFERENCE REPORT DATED MAY 3, 1989, FOR HIS JOB NUMBER 89041, SAID THAT **HE FOUND AND HE ACCEPTED AN EXISTING 1/2" REBAR** AT THE EAST QUARTER CORNER OF SECTION 7, TOWNSHIP 19, RANGE 12.
- HE REPLACED THIS FOUND 1/2" REBAR WITH A 5/8" REBAR WITH A LYON COUNTY CAP THAT HE SET AT 12" DEEP** FOR THE EAST QUARTER CORNER OF SECTION 7, TOWNSHIP 19, RANGE 12.
- 1) 63.4' SOUTH-SOUTHWEST TO A PK NAIL AND WASHER IN THE EAST SIDE OF AN 8" OAK TREE
 - 2) 67.8' SOUTH-SOUTHEAST TO A PK NAIL AND WASHER IN THE WEST SIDE OF AN 18" TRIPLE HONEY LOCUST TREE
 - 3) 79.15' SOUTHEAST TO A PK NAIL AND WASHER IN THE NORTH SIDE OF AN 8" RED ELM TREE
 - 4) 166.0' SOUTH TO THE CENTERLINE OF THE TRAVELED WAY OF OLD U.S. 50 HIGHWAY
- 14) WARREN CHIP WOODS, L.S. 603, LYON COUNTY SURVEYOR, IN A LAND SURVEY REFERENCE REPORT DATED MARCH 2, 1992, FOR LYON COUNTY BRIDGE REPLACEMENT PROJECT 89-E3, KDOT PROJECT 56-C-2800-01, THE REPLACEMENT OF FAS BRIDGE 760 OVER THE NEOSHO RIVER ON OLD HIGHWAY 50/COUNTY

ROAD 175, **FOUND THE EXISTING RECORD 5/8" REBAR WITH A LYON COUNTY CAP** AT THE EAST QUARTER CORNER OF SECTION 7, TOWNSHIP 19, RANGE 12 FROM THE EXISTING TIES OF RECORD IN THE COUNTY ENGINEER'S OFFICE BY DEPUTY COUNTY SURVEYOR STEVEN S. BROSEMER, L.S. 752, DATED MAY 3, 1989.

- 1) 63.6' SOUTH-SOUTHWEST TO A CONCRETE NAIL AND WASHER IN THE EAST FACE OF A 10" OAK TREE
- 2) 67.8' SOUTH-SOUTHEAST TO A CONCRETE NAIL AND 2 WASHERS IN THE WEST FACE OF A TRIPLE HONEY LOCUST TREE
- 3) 79.2' SOUTHEAST TO A PK NAIL AND WASHER FOUND IN THE NORTH SIDE OF A 10" RED ELM TREE
- 4) 166.1' SOUTH TO THE CENTERLINE OF THE TRAVELED WAY OF OLD HIGHWAY 50/COUNTY ROAD 175

- 15) STEVEN S. BROSEMER, P.S. 752, DEPUTY COUNTY SURVEYOR, IN A LAND SURVEY REFERENCE REPORT DATED JANUARY 18, 2002, FOR HIS PROJECT NUMBER 21297-02, FOR THE SURVEY OF TRACTS IN SECTIONS 5 AND 6 IN TOWNSHIP 19, RANGE 12 FOR WAECHTER, SURVEYS F05005 AND F06006 IN THE SURVEY FILE FOR TOWNSHIP 19, RANGE 12, SAID THAT **HE FOUND THE EXISTING RECORD 5/8" REBAR AT 12" DEEP IN CULTIVATION** AT THE WEST QUARTER CORNER OF SECTION 8, TOWNSHIP 19, RANGE 12 FROM THE EXISTING RECORD TIES BY COUNTY SURVEYOR WOODS, AND HIS EXITING REFERENCE TIES IN THE LYON COUNTY ENGINEER'S OFFICE.

HE SENT THE FOLLOWING HORIZONTAL TIES:

- 1) 116' SOUTH TO THE TRAVELED WAY OF COUNTY ROAD 170 (OLD HIGHWAY 50)
- 2) 1,125' EAST TO THE TRAVELED WAY OF COUNTY ROAD "P2"
- 3) IN CULTIVATION

HIS REPORT OF SURVEY SHOWS THE FOLLOWING INFORMATION:

- 1) 2,653.57' NORTH TO THE 5/8" X 24" REBAR WITH A LYON COUNTY CAP THAT **HE RESET** FOR THE SOUTHWEST CORNER OF THE SOUTHEAST 1/4 OF SECTION 6, TOWNSHIP 19, RANGE 12, BEING THE POINT OF BEGINNING FOR TRACT 2, THE SOUTHWEST CORNER OF TRACT 1, AND THE NORTHEAST CORNER OF TRACT 3.
- 2) 4,467.07' NORTH TO THE 1/2" X 24" REBAR WITH HIS "PS 752" CAP THAT HE SET FOR THE NORTHWEST CORNER OF TRACT 1 AND THE NORTHEAST CORNER OF TRACT 2.
- 3) 5,290.95' NORTH TO THE STONE THAT HE FOUND AT THE NORTHWEST CORNER OF THE SOUTHWEST 1/4 OF SECTION 5, TOWNSHIP 19, RANGE 12.

WEST QUARTER CORNER 08-19-12